

QUOTATION

<u>Supplier information</u>	<u>Customer details</u>
Prepared by : Aye Chan Aung	Send to : UMG Myanmar
Department : Sales	Attention to: Ko Khin Maung Htwe
Mobile phone : +959772695323	Mobile phone: 09422346600
Email : aye.chan.aung@emin.com.mm	Email :
No. : EMIN-PB476278	Address : 592, Bo Aung Kyaw Street, Yangon~Pathein Highway Road, Hlaingtharyar Township, Yangon, Myanmar.
Date : 05/29/2025 - Valid until: 06/03/2025	

Thank you for your interest in EMIN GROUP.

We are the distributor and service representative to many international brands.


We are committed to genuine sales, 100% new with the best quality and the cheapest price on the market.

All our goods are of clear origin and have Invoice.

According to your quote request. We would like to send you the equipment's price list as of follow:

1. Description, quantity, price:

Unit: MMK

No.	Description	Unit	Quantity	Unit price	Total price	Status
1	UNI-T UT273+ Clamp Earth Resistance Tester (0.010Ω-600Ω) Model: UT273+ Manufacturer: UNI-T 	Unit	1	1,370,000	1,370,000	4 - 6 Weeks
<p>Specifications:</p> <p>Earth resistance (Ω): Range: Accuracy 0.010Ω-0.199Ω± (1% + 0.02Ω) 0.20Ω-1.99Ω± (1% + 0.05Ω) 2.0Ω-49.9Ω± (1% + 0.5Ω) 50.0Ω-99.5Ω± (1.5% + 1Ω) 100Ω-199Ω± (2% + 2Ω) 200Ω-395Ω± (5% + 5Ω) 400-590Ω± (10% + 10Ω) 590Ω-600Ω± (20% + 20Ω) Current (AC): Range: Accuracy 1.00mA -9.99mA± (2.5% + 1mA)</p>						

10.0mA -99.9mA± (2.5% +5mA)

100mA -999mA± (2.5% +10mA)

1.00A-9.99A± (2.5% +0.2A)

10.0A-20.0A± (2.5% +0.5A)

Features

Jaw size: 55mm×32mm

Timer: √

Sample rate: 1 time/s

Screen: 4 digits EBTN screen

Data transmission: √(USB cable)

Data storage: 500 set

Anti-interference: √

Overload protection: √

Alarm function: √

Battery state indication: √

Auto power off: √

Overvoltage category: CAT III 300V, CAT IV 150V

Certificates: ROW


General Characteristics

Standard accessories: User manual, AA alkaline 4pcs, calibration loop, USB cable(data transmission), tool box

Screen size: 46mm×36mm

Product dimension: 285mm×85mm×58mm(L*W*H)

Product net weight: 1180g(batteries included)

2	UNI-T UT275 Clamp Earth Ground Tester (0.01~1000Ω,30A) Model: UT275 Manufacturer: UNI-T Guarantee: 12 months 	Unit	1	1,860,000	1,860,000	2 - 3 Months
---	--	------	---	-----------	-----------	--------------

Specifications:

Earth Ground Resistance (Ω):

+ 0.01~0.099Ω ±(1%+0.01)

+ 0.1~0.99Ω ±(1%+0.01)

+ 1~49.9Ω ±(1.5%+0.1)

+ 50~99.5Ω ±(2%+0.5)

+ 100~199Ω ±(3%+1)

+ 200~395Ω ±(10%+5)

+ 400~590Ω ±(20%+10)

+ 600~1000Ω ±(25%+20)

Leakage current (A):

+ 0mA~299mA ±(2.5%+2mA)

+ 0.3A~2.99A ±(2.5%+100mA)

+ 3A~30A ±(2.5%+300mA)

Power: 1.5V battery (LR6) x 4

Display: 47mm x 28.5mm
Product color: Red and grey
Product net weight: 1320g
Product size: 293mm x 90mm x 66mm
Standard accessories: Batteries, test ring, tool box
Features:
Display count 10000
Jaw opening: 28mm
Auto power off: Yes
Data storage: 30
Category ratings :CAT III 300V

TOTAL:	3,230,000.00
---------------	---------------------

(In written: Three Million, Two Hundred And Thirty Thousand Kyat)

2. Commercial terms :

- 100% new products.
- Payments term : 100% advance payment with available items and 50%-50% with unavailable items by transfer money or cash.

Bank Information:

- + **Account name:** EMIN MYANMAR CO., LTD
- + Bank: AYA Bank. Branch: YGN (98)_WZT(2). Account number: 20018351223
- + Bank: CB Bank. Branch: Union Financial Center. Account Number: 0086100500030252

For any further information please contact us. We are looking forward to receive your order.

Confirmation of customer

Seller



Aye Chan Aung