


QUOTATION

<u>Supplier information</u>	<u>Customer details</u>
Prepared by : Phyu Thi	Send to : Winning Way co.ltd
Department : Sales	Attention to: Ko Kaung Myat Kyaw
Mobile phone : +959771850432	Mobile phone: 092021880
Email : phyu.thi@emin.com.mm	Email : kaungmyatkyaw3710@gmail.com
No. : EMIN-PB427297	Address : Hlaing Thar Yar Tsp
Date : 08/22/2024 - Valid until: 08/25/2024	
<p>Thank you for your interest in EMIN GROUP. We are the distributor and service representative to many international brands. We are committed to genuine sales, 100% new with the best quality and the cheapest price on the market. All our goods are of clear origin and have Invoice. According to your quote request. We would like to send you the equipment's price list as of follow:</p>	

1. Description, quantity, price:

Unit: MMK

No.	Description	Unit	Quantity	Unit price	Total price	Status
1	UNI-T UT208B Digital Clamp Meter (AC/DC 1000A,True RMS) Model: UT208B Manufacturer: UNI-T Guarantee: 12 months  Specifications: AC current (A): 1000A ±(2%+5) DC current (A): 1000A ±(2%+5) AC current frequency response: 40Hz~400Hz Inrush current (A): 1000A ±(10%+10) AC voltage (V): + 6V ±(1.2%+3) + 60V/600V/1000V: ±(1%+8) DC voltage (V): + 600mV ±(0.8%+3) + 6V/60V ±(0.5%+5)	Unit	1	643,000	643,000	Available

<p>+ 600V</p> <p>$\pm(0.5\%+5)$</p> <p>+ 1000V</p> <p>$\pm(0.5\%+5)$</p> <p>Low pass filter (LPF ACV): 600V/1000V $\pm(2\%+5)$</p> <p>AC voltage frequency response: 40Hz~400Hz</p> <p>LoZ ACV: 600V/1000V $\pm(2\%+5)$</p> <p>Resistance (Ω):</p> <p>+ 600Ω $\pm(1\%+3)$</p> <p>+ 6KΩ/60KΩ/600KΩ $\pm(1\%+2)$</p> <p>+ 6MΩ/60MΩ $\pm(2\%+8)$</p> <p>Capacitance (F):</p> <p>+ 60nF $\pm(4\%+25)$</p> <p>+ 600nF/6μF/60μF/600μF $\pm(4\%+5)$</p> <p>+ 6mF/60mF $\pm(10\%+9)$</p> <p>Temperature ($^{\circ}$C): -40$^{\circ}$C~300$^{\circ}$C $\pm(1\%+20)$, 300$^{\circ}$C~1000$^{\circ}$C $\pm(1\%+2)$</p> <p>Low voltage frequency (Hz): 10Hz~1MHz $\pm(0.1\%+3)$</p> <p>Duty cycle (%): 10%~90%</p> <p>$\pm(2.6\%+7)$</p> <p>Power: 1.5V battery (R03) x 3</p> <p>Display: 43mm x 45mm</p> <p>Product color: Red and grey</p> <p>Product net weight: 420g</p> <p>Product size: 272mm x 81mm x 43.5mm</p> <p>Standard accessories: Batteries, test leads, point contact temperature probe</p> <p>Features</p> <p>Display count: 6000</p> <p>Auto/Manual range: Yes</p> <p>Jaw opening: 42mm</p> <p>True RMS: Yes</p> <p>Diode test: Yes</p> <p>Continuity buzzer: Yes</p> <p>NCV: Yes</p> <p>MAX/MIN: Yes</p> <p>Relative mode: Yes</p> <p>VFC: Yes</p> <p>Zero mode: Yes</p> <p>Data hold: Yes</p> <p>Auto power off: Yes</p> <p>Flashlight: Yes</p> <p>LCD backlight: Yes</p>									
---	--	--	--	--	--	--	--	--	--

Analog Bar: Yes Input Impedance: $\geq 10M\Omega$ Category ratings: CAT IV 600V, CAT III 1000V Drop test: 1m CE certification: Yes					
SUBTOTAL:					643,000
TOTAL:					643,000

(In written: Six Hundred And Forty-Three Thousand Kyat)

2. Commercial terms :

- 100% new products.
- Payments term : 100% advance payment with available items and 50%-50% with unavailable items by transfer money or cash.

Bank Information:

- + **Account name:** EMIN MYANMAR CO., LTD
- + **Bank:** AYA Bank. Branch: YGN (98)_WZT(2). Account number: 20018351223
- + **Bank:** CB Bank. Branch: Union Financial Center. Account Number: 0086100500030252

For any further information please contact us. We are looking forward to receive your order.

Confirmation of customer

Seller



Phyu Thi