



**ပိတ်စာအမျိုးမျိုး၊ ဆုတံဆိပ်အမျိုးမျိုး  
တံဆိပ်တုံးအမျိုးမျိုးနှင့် ကာလာကောင်စုံပုံနှိပ်လုပ်ငန်း**

အမှတ် (G-7/G-8)၊ ၃၀-လမ်း (အလယ်)၊ ရေသာကွန်ဒို၊ ပန်းဘဲတန်း၊ ဗြိတိသျှ၊ ရန်ကင်းမြို့။

☎ 09 420287183, 09 422660741

ယံသူအမည်..... WINNING way ..... နေ့စွဲ ၂၀၂၄.၁၁.၂၄

| စဉ် | အမျိုးအမည်       | ဦးရေ | နှုန်း | သင့်ငွေ |
|-----|------------------|------|--------|---------|
| ၁   | စတီဗြား: စာကွင်း | ၁၇   | ၂၀၀၀   | ၂၀၄၀၀၀  |



**AK** ဌာနဆိုင်ရာနှင့် ပတ်သက်သော တံဆိပ်တုံးများနှင့် အဖွဲ့အစည်းများအတွက်  
ဝန်ထမ်းကဒ်၊ ထောက်ခံစာ ပြည့်စုံစွာပါရှိမှသာ ပြုလုပ်ပေးပါမည်။  
**AK** ဥပဒေနှင့် မလွတ်ကင်းသော ပုံနှိပ်လုပ်ငန်းများကို (လုံးဝ) လက်မခံပါ။  
**AK** အပ်ထားပစ္စည်း (တစ်လ) ကျော်လျှင် တာဝန်မယူပါ။

|            |        |
|------------|--------|
| စုစုပေါင်း | ၂၀၄၀၀၀ |
| ခရံငွေ     | -      |
| ကျန်ငွေ    | -      |

လက်မှတ် Key

### MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |  |          |       |
|---------------|-----------------------|------------|--|----------|-------|
| Model         | VP-385                | Perf.class | G 2  | Phase    | 3     |
| Serial No.    | 2308073               | Speed      | 1500 rpm   | Altitude | 1000m |
| Prime Power   | 350                   | KVA        |  | 280      | KW    |
| Standby Power | 385                   | KVA        |  | 308      | KW    |
| Voltage       | 400                   | V          | Frequency  | 50       | Hz    |
| Power Factor  | cosΦ = 0.8            |            | Current  | 505      | A     |
| Ambient Temp: | 50°                   | C          | Weight   | 2870     | KG    |
| Dimension     | 3030 X 1115 X 1800 MM |            | Date   | 2023.06  |       |
| Made By Beifa |                       |            | Assembled in Wuxi, Jiangsu, China<br>Tel: + 86 150 8534 5555 |          |       |

### MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |  |          |       |
|---------------|-----------------------|------------|--|----------|-------|
| Model         | VP-670                | Perf.class | G-2  | Phase    | 3     |
| Serial No.    | 2308079               | Speed      | 1500 rpm   | Altitude | 1000m |
| Prime Power   | 625                   | KVA        |  | 500      | KW    |
| Standby Power | 670                   | KVA        |  | 536      | KW    |
| Voltage       | 400                   | V          | Frequency  | 50       | Hz    |
| Power Factor  | cosΦ = 0.8            |            | Current  | 902      | A     |
| Ambient Temp: | 50°                   | C          | Weight   | 3880     | KG    |
| Dimension     | 3300 X 1275 X 2030 MM |            | Date   | 2023.06  |       |
| Made By Beifa |                       |            | Assembled in Wuxi, Jiangsu, China<br>Tel: + 86 150 8534 5555 |          |       |

### MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |  |          |       |
|---------------|-----------------------|------------|--|----------|-------|
| Model         | VP-670                | Perf.class | G-2  | Phase    | 3     |
| Serial No.    | 2308080               | Speed      | 1500 rpm   | Altitude | 1000m |
| Prime Power   | 625                   | KVA        |  | 500      | KW    |
| Standby Power | 670                   | KVA        |  | 536      | KW    |
| Voltage       | 400                   | V          | Frequency  | 50       | Hz    |
| Power Factor  | cosΦ = 0.8            |            | Current  | 902      | A     |
| Ambient Temp: | 50°                   | C          | Weight   | 3880     | KG    |
| Dimension     | 3300 X 1275 X 2030 MM |            | Date   | 2023.06  |       |
| Made By Beifa |                       |            | Assembled in Wuxi, Jiangsu, China<br>Tel: + 86 150 8534 5555 |          |       |

### MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |  |          |       |
|---------------|-----------------------|------------|--|----------|-------|
| Model         | MC-375B               | Perf.class | G-2  | Phase    | 3     |
| Serial No.    | 2301005               | Speed      | 1500 rpm   | Altitude | 1000m |
| Prime Power   | 300                   | KVA        |  | 280      | KW    |
| Standby Power | 375                   | KVA        |  | 300      | KW    |
| Voltage       | 400                   | V          | Frequency  | 50       | Hz    |
| Power Factor  | cosΦ = 0.8            |            | Current  | 505      | A     |
| Ambient Temp: | 50°                   | C          | Weight   | 3000     | KG    |
| Dimension     | 3300 X 1100 X 1900 MM |            | Date   | 2023.06  |       |
| Made By Beifa |                       |            | Assembled in Wuxi, Jiangsu, China<br>Tel: + 86 150 8534 5555 |          |       |

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | MC-350BS              | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2301009               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 300                   | KVA        |           | 240      | KW      |
| Standby Power | 350                   | KVA        |           | 280      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cosΦ = 0.8            | Current    |           | 433      | A       |
| Ambient Temp: | 50°                   | C          | Weight    |          | 3475 KG |
| Dimension     | 3890 X 1460 X 2150 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | MC-350BS              | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2301007               | Speed      | 1500 rpm  | Altitude | 1000 m  |
| Prime Power   | 300                   | KVA        |           | 240      | KW      |
| Standby Power | 350                   | KVA        |           | 280      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cosΦ = 0.8            | Current    |           | 433      | A       |
| Ambient Temp: | 50°                   | C          | Weight    |          | 3475 KG |
| Dimension     | 3890 X 1460 X 2150 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | MC-350BS              | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2301008               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 300                   | KVA        |           | 240      | KW      |
| Standby Power | 350                   | KVA        |           | 280      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cosΦ = 0.8            | Current    |           | 433      | A       |
| Ambient Temp: | 50°                   | C          | Weight    |          | 3475 KG |
| Dimension     | 3890 X 1460 X 2150 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | MC-350B               | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2301003               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 300                   | KVA        |           | 240      | KW      |
| Standby Power | 350                   | KVA        |           | 280      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cosΦ = 0.8            | Current    |           | 433      | A       |
| Ambient Temp: | 50°                   | C          | Weight    |          | 2520 KG |
| Dimension     | 3100 X 1150 X 1780 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-670                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2308078               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 625                   | KVA        | 500       | KW       |         |
| Standby Power | 670                   | KVA        | 536       | KW       |         |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      | Current    | 902       | A        |         |
| Ambient Temp: | 50°                   | C          | Weight    | 3880     | KG      |
| Dimension     | 3500 X 1275 X 2030 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-550                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2308069               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 500                   | KVA        | 400       | KW       |         |
| Standby Power | 550                   | KVA        | 440       | KW       |         |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      | Current    | 722       | A        |         |
| Ambient Temp: | 50°                   | C          | Weight    | 3700     | KG      |
| Dimension     | 3300 X 1275 X 2030 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-550                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2308074               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 500                   | KVA        | 400       | KW       |         |
| Standby Power | 550                   | KVA        | 440       | KW       |         |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      | Current    | 722       | A        |         |
| Ambient Temp: | 50°                   | C          | Weight    | 3700     | KG      |
| Dimension     | 3300 X 1275 X 2030 MM |            |           | Date     | 2023.02 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-550                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2308075               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 500                   | KVA        | 400       | KW       |         |
| Standby Power | 550                   | KVA        | 440       | KW       |         |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      | Current    | 722       | A        |         |
| Ambient Temp: | 50°                   | C          | Weight    | 3700     | KG      |
| Dimension     | 3300 X 1275 X 2030 MM |            |           | Date     | 2023.02 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

**MATADOR DIESEL GENERATING SET**

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-770                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2302003               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 700                   | KVA        |           | 560      | KW      |
| Standby Power | 770                   | KVA        |           | 616      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      |            | Current   | 1010     | A       |
| Ambient Temp: | 50°                   | C          | Weight    | 4150 KG  |         |
| Dimension     | 3405 X 1397 X 2100 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555**MATADOR DIESEL GENERATING SET**

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-385                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2206041               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 350                   | KVA        |           | 280      | KW      |
| Standby Power | 385                   | KVA        |           | 308      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      |            | Current   | 505      | A       |
| Ambient Temp: | 50°                   | C          | Weight    | 2870 KG  |         |
| Dimension     | 3030 X 1115 X 1800 MM |            |           | Date     | 2022.07 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555**MATADOR DIESEL GENERATING SET**

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-770                | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2302002               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 700                   | KVA        |           | 560      | KW      |
| Standby Power | 770                   | KVA        |           | 616      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      |            | Current   | 1010     | A       |
| Ambient Temp: | 50°                   | C          | Weight    | 4150 KG  |         |
| Dimension     | 3405 X 1397 X 2100 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555**MATADOR DIESEL GENERATING SET**

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | VP-220S               | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2302001               | Speed      | 1500 rpm  | Altitude | 1000m   |
| Prime Power   | 200                   | KVA        |           | 160      | KW      |
| Standby Power | 220                   | KVA        |           | 176      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | cos $\Phi$ = 0.8      |            | Current   | 289      | A       |
| Ambient Temp: | 50°                   | C          | Weight    | 2700 KG  |         |
| Dimension     | 3590 X 1310 X 2050 MM |            |           | Date     | 2023.08 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555

# MATADOR DIESEL GENERATING SET

Compliance : ISO 8528

|               |                       |            |           |          |         |
|---------------|-----------------------|------------|-----------|----------|---------|
| Model         | MC-350B               | Perf.class | G-2       | Phase    | 3       |
| Serial No.    | 2301002               | Speed      | 1500 rpm  | Altitude | 1000 m  |
| Prime Power   | 300                   | KVA        |           | 240      | KW      |
| Standby Power | 350                   | KVA        |           | 280      | KW      |
| Voltage       | 400                   | V          | Frequency | 50       | Hz      |
| Power Factor  | $\cos\Phi = 0.8$      |            | Current   | 433      | A       |
| Ambient Temp: | 50°                   | C          | Weight    | 2520     | KG      |
| Dimension     | 3100 X 1150 X 1780 MM |            |           | Date     | 2023.06 |

Made By Beifa

Assembled in Wuxi, Jiangsu, China  
Tel: + 86 150 8534 5555